

<b>ACHIEVEMENT, DEVELOPMENT AND LEARNING</b>	<b>AGE</b>	<b>CONSTRUCT</b>
Achenbach System of Empirically Based Assessment (ASEBA)	1.5-90+ years	Adaptive Behaviour (children's competencies and behavioural/emotional problems)
Adaptive Behaviour Assessment System second edition (ABAS) II	0-89 years	Adaptive Behaviour
Benton Revised Visual Retention Test	5 – Adult	A clinical and research instrument designed to assess visual perception, visual memory, and visuoconstructive abilities
Connors Rating Scale –Revised (CRS-R)	3-17 years	Maladaptive behaviour and ADHD
McCarthy Scales of Children's Abilities (MSCA)	2.5 to 8.5 years	Determine general intellect level as well as strength and weaknesses in important abilities
Peabody Picture Vocabulary Test third edition (PPVT-III)	2.6-90+ years	Receptive Vocabulary
Phonological Abilities Test	4-7 years	Identify early literacy difficulties
Scales of Independent Behaviour – Revised (SIB-R)	3mths-80+ years	Assess Adaptive and Problem Behaviour
Sutherland Phonological Awareness Test	4-7 years	Test reliability, correlation between phonological awareness on the auditory tasks and word attack skills in non-word reading and spelling and correlation between total SPAT score and Word Identification skills
Vineland Adaptive Behaviour Scales, second edition (Vineland II)	0-90 years	Adaptive and Maladaptive
Visual Aural Digit Span Test (VADS)	5.5 -12 years	Designed to serve as a diagnostic instrument
Wechsler Individual Achievement test second edition (Australian Norms) (WAITII)	4 years to 19 years 11 months (Australian Norms) 20 years to 85 years 11 months (US Norms)	Assess academic achievement skills in students and adults, measures aspects of reading, writing, maths, and oral expression
Wide Range Achievement Test 3 (WRAT 3)	5-94 years	Measure the codes which are needed to learn the basic skills of reading, spelling and arithmetic.

		Tool for determining learning ability or learning disability
Woodcock Reading Mastery Test-Revised/NU (WRMT-R/NU)	Kindergarten to Adult	Assess reading readiness and achievement
<b>BEHAVIOUR AND HEALTH</b>	<b>AGE</b>	<b>CONSTRUCT</b>
Adolescent Coping Scale (ACS)	12-18 years	A self-report inventory comprising 80 items
Anxiety Disorders Interview Schedule for DSM-IV (ADIS for DSM-IV)	Adult	Establish accurate and reliable diagnoses for all anxiety/mood/substance abuse and somatoform disorders
Beck Anxiety Inventory (BAI)	17-80 years	Assess the severity and anxiety in adolescents and Adults
Beck Depression Inventory-Second Edition (BDI II)	13 years to Adult	Assess depression and monitor treatment progress in depressed clients
Beck Hopelessness Scale (BHS)	13-80 years	Evaluate the severity of hopelessness in Adolescents and Adults
Beck Scale of Suicide Ideation (BSI)	17 + years	Examine an individuals thoughts, attitudes, and intentions regarding suicide
Beck Youth Inventories of Emotional and Social Impairment – Second Edition (BYI II)	7-18 years	To evaluate Children and Adolescents
Camdex–R	Adult	Examination for mental disorders of the elderly
Coping Resources Inventory (CRI)	11 – Adult	Used in Clinical and Educational setting in treatment planning for stress/rehab related programmes
Coping Scale for Adults (CSA)	18+ years	Useful for considering issues surrounding coping and for facilitating the development of coping strategies
Emotional Quotient Inventory (Bar-On)	16 years to Adult	A quick measure of emotional intelligence
Family Relations Test – Children’s Version (FRT-C)	3-15 years	Evaluates a child’s perspective about their family relationships and themselves
General Health Questionnaire (GHQ)	18+ years	Non-psychotic disorders
Maslach Burnout inventory third edition (MBI)	Adult	Assess the three aspects of burnout syndrome: emotional exhaustion, depersonalization, and lack of personal accomplishment
Mastery of Your Anxiety and Panic II (MAP)	Adult	Program for monitoring

		Anxiety and Panic
Mastery of Obsessive Compulsive Disorder Client Workbook, Therapist Guide	Adult	Help recognize symptoms of obsessive-compulsive disorder/develop and put into practice a program of exercises to reduce these symptoms
Millon Clinical Multiaxial Inventory-III (MCMI-III)	Adult	Personality test on Psychopathology
National Adult Reading Test – Second Edition (NART)	Adult	Specifically designed to provide a means of estimating the premorbid intelligence levels of adult patients suspected of suffering from intellectual deterioration
Pain and Pain Behaviours	Adult	Measures for assessing pain and responses to pain
Parenting Stress Index, third edition (PSI)	3-15 years	Assess the Stressful areas in parent child interaction
Profile of Mood States (POMS)	18 and older	Recommended primary as a measure of mood states in psychiatric outpatients and as a method for assessing changes in such patients
Posttraumatic Stress Diagnostic Scale (PDS)	18 – 65	49-item self report instrument designed to aid in the diagnosis of posttraumatic stress disorder
Protective Behaviours Program	Children and Adolescents	This resource aims to provide support for parents/carers in the implementation of protective behaviour
Psychosocial Adjustment to Illness Scale (PAIS) (PAIS-SR)	Adult	Semi structured interview designed to assess quality of patient’s psychosocial adjustment to current medical illness or its residual effects
Social Phobia and Anxiety Inventory for Children (SPAI-C)	8 – 14 years	Assesses somatic, cognitive, and behavioural aspects of social phobia
Symptoms Checklist -90- R (SCL-90-R)	Adult	A 90 item self-report symptom inventory designed to reflect the psychological symptom patterns of community, medical and psychiatric respondents
State-Trait Anger Expression Inventory – 2 <sup>nd</sup> edition	16+ years	Measure the experience, expression and control of anger
Substance Abuse Subtle Screening Inventory Third Edition ((SASSI)	Adolescents and Adults	Quickly identify adolescents and adults likely to have a substance abuse disorder

Trauma Symptom Checklist for Children (TSCC)	8-16 years	A self-report measure of posttraumatic stress and related psychological symptomatology
Trauma Symptoms Inventory (TSI)	Adult	Evaluate acute and chronic post-traumatic symptomatology
<b>CAREER GUIDANCE</b>	<b>AGE</b>	<b>CONSTRUCT</b>
Career Attitudes and Strategies Inventory (CASI)	17 – 77 years	Assess career beliefs in employed and unemployed adults
Differential Aptitude Tests – Form V & M (DAT)	Adult	Assess Ability and Aptitudes that research has shown are important to a wide variety of future careers and particular jobs
Self Directed Search (SDS)	12 + years	Self administered, self scored and largely self interpreted vocational counselling aid
Vocational interest Survey for Australia (VISA)	Adolescents and Adults	The only measure of its type developed and normed specifically for the Australian market. Consisting of 64 work descriptions on which candidates rate their preferences.
<b>COUNSELLING</b>	<b>AGE</b>	<b>CONSTRUCT</b>
Anger Control Training Package	Children and Adults	Anger Control Training Guide
Children’s Depression Scale third edition (CDS III)	7-18 years	Assess and treat depression in young people across diverse cultures. (Comprehensive Australian norms)
Coopersmith Self-Esteem Inventories	8+ years	Assesses attitudes towards self in social, academic, family and personal contexts
Eating Disorder Inventory 3 (EDI 3)	13+females	Generates clinically meaningful profiles that can be linked to plans, specific interventions, and treatment monitoring
Hospital Anxiety and Depression Scale (HADS)	18 + years	Self-report Questionnaire for use in Hospital outpatients and community settings
Piers Harris Children’s Self-Concept Scale 2 <sup>nd</sup> ed.	7-18 years of age	Measure of psychological health in children and adolescents
Positive and Negative Syndrome Scale (PANSS)	Adult	For Typological and dimensional assessment of schizophrenic phenomena

Revised Children's Manifest Anxiety Scale (RCMAS)	6-19 years	Provides objective data on anxiety, which can inform and guide treatment
State Trait Anxiety Inventory for Adults. (STAI)	13+ years	Differentiates between temporary condition of 'state anxiety' and more general and long-standing quality of 'trait anxiety'
State Trait Inventory for Children (STAIC)	9-12 years	Self report measure, differentiates between temporary condition of 'state anxiety' and more general and long-standing quality of 'trait anxiety'
Ways of Coping Questionnaire (WCQ)	12+ years	66 items self-report instrument
<b>EDUCATION</b>	<b>AGE</b>	<b>CONSTRUCT</b>
KeyMath – Revised	First 10 years of schooling	To Assess Students' understanding and application of important mathematics concepts and skills.
Neale Analysis of Reading Ability Third Edition	6-12.11 years	Measure accuracy, comprehension and rate of reading, obtain diagnostic observations of reading behaviour
Self Directed Search Australian Manual (SDS)	9 to Adult	To provide students with information about occupations which match their interest, competencies and perceived abilities
South Australian Spelling Test (SAST)	6-15 years	To enable Teachers to determine the spread of spelling ability and identify students who require additional help
Sutherland Phonological Awareness Test (SPAT)	1 <sup>st</sup> to 4 <sup>th</sup> year of schooling	Assess ability to attend to, identify and manipulate the sounds in spoken words
Woodcock Reading Mastery Tests Revised/NU (WRMT-R/NU)	Kindergarten to Adult	Assess reading readiness and achievement
<b>FORENSIC</b>	<b>AGE</b>	<b>CONSTRUCT</b>
Hare Psychopathy Checklist –R – 2 <sup>nd</sup> Edition	18 years to Adult	Assess adults for psychopathic (antisocial) personality disorders, it can be used with forensic populations.
MacArthur Competence Assessment Tool-Criminal Adjudication	18 + years	Developed for use with adults 18 years of age and older whose competence to proceed in the criminal process is at issue

Miller Forensic Assessment of Symptoms Test (M-FAST)	18 + years	Screen for malingered psychiatric illness
Rogers Criminal Responsibility Assessment Scales (R-CRAS)	Adult	To provide a systematic and empirically based approach to evaluations of criminal responsibility
Structured interview of Reported Symptoms (SIRS)	18 + years	For use with adult population where questions arise with respect to the self-reporting of psychiatric symptomatology
<b>INTELLIGENCE AND COGNITION</b>	<b>AGE</b>	<b>CONSTRUCT</b>
Bayley Scales of Infant Development	1 month to 42 months	Identify strengths and deficits in development across five broad developmental domains
Comprehensive Test of Phonological Processing (CTOPP)	7-24 years	Assesses Phonological awareness, phonological memory, and rapid naming
Connors Rating Scales Revised	6-18 years	Maladaptive behaviour and ADHD
Differential Ability Scales	2 years 6 months to 17 years 11 months	In-depth analysis of children's learning abilities
Kaufman Assessment Battery for Children (KABC)	3-18 years	Measure Intelligence and Cognitive Ability
Kaufman Adolescent and Adult Intelligence Test (KAIT)	11-85 + years	Measure general intelligence/cognitive ability
Reynolds Intellectual Assessment (RIAS)	3-94 years	Verbal and nonverbal intelligence including a conformed, supplemental measure of memory
Stanford Binet Intelligence Scales 5 <sup>th</sup> ed. (SB5)	2-85 + years	Measure intelligence/cognitive ability
Slosson Intelligence Test and Slosson Reading Test	Children/Adults	Measure intelligence/cognitive ability
Test of Everyday Attention for Children (TEA-CH)	6-16 years	Measures children's abilities to selectively attend, sustain or divide their attention between two tasks
Wechsler Adult Intelligence Scale third edition Australian language Adaptation (WAIS III)	16-89 years	Assess intellectual ability in adults
Wechsler Abbreviated Scale of Intelligence (WASI)	6-89 years	Quickly and reliably assess cognitive functioning in children and adults
Wechsler Intelligence Scale for Children fourth edition ( WISC IV Australian Standardisation)	6-16 years 11 months	Intelligence testing for children
Wechsler Preschool and primary Scale of Intelligence third edition Australian	2 years 6 months to 7	Assess intelligence of children aged 2:6 and 7:3 years in

Standardised edition (WPPSI III)	years 3 months	Australia
<b>NEUROPSYCHOLOGICAL</b>	<b>AGE</b>	<b>CONSTRUCT</b>
Children's Memory Scale (CMS)	5-16 years	Assessing Learning and Memory Capacity in Children
Delis-Kaplan Executive Function System (D-KEFS)	8-89 years	Assess key components of executive function within verbal and spatial modalities
Developmental Test of Visual Perception	Child	Seeks to measure five operationally-defined perceptual skills
Frontal System Behavior Scale (FrSBe)	18-95 years	Provides brief, reliable, and valid measure of three frontal systems behavioural syndromes: apathy, disinhibition and executive dysfunction.
Hayling Brixton Tests	18-80 years	Assessment of executive functioning
Memory Assessment Scales (MAS)	18-90 years	Assess short term, verbal and visual memory
Neuropsychological Assessment Battery (NAB)	18-95 years	Assess wide range of neuropsychological skills and functions in adults with known or suspected central nervous system disorders
Psycholinguistic Assessments of Language Processing in Aphasia (PALPA)	Adult	Assess language processing skills in people with aphasia
Quick Neurological Screening Test – Revised (QNST)	Kindergarten to year 12, Adults	Screen neurological integration as it relates to learning
Repeatable Battery for the Assessment of Neuropsychological Status (RBANS)	20-89 years	Brief test helps determine the neuropsychological status of adults who have neurological injury or disease such as dementia, head injury, and stroke
Rey Complex Figure Test and Recognition Trial (RCFT)	6-89 years	Assess visuospatial ability and visuospatial memory
Rivermead Behavioural Memory Test second edition	Adult	Memory assessment
Speed and Capacity of Language Processing Test (SCOLP)	16 years and over	Assess and monitor cognitive function after severe head injury
Stroop Color and Word Test	5-14 Adult 15 + years	Differentiate normal, non-brain damaged psychiatric and brain damaged subjects
Symbol Digit Modalities Test (forms and Score keys only)	8+ years	Screen for Cerebral Dysfunction

Test of Everyday Attention for Children (TEA)	6-16 years	Measure children's abilities to selectively attend, sustain or divide their attention between two tasks and withhold verbal and motor responses
Wechsler Memory Scale third edition (WMS III)	16-89 years	Assess verbal and nonverbal memory abilities in adults
Wechsler Test of Adult Reading (WTAR)	16-89 years	Predict premorbid intellectual function following neurological insult
Wide Range Assessment of Memory and Learning Second Edition (WRAML2)	5-90 years	Assess memory functioning
Wisconsin Card Sorting Test	6.5-89 years	Assess Perseveration and abstract reasoning
<b>PERSONALITY</b>	<b>AGE</b>	<b>CONSTRUCT</b>
Eysenck Personality Questionnaire Revised (EPQ-R)	18+ years	Evaluate personality
Minnesota Multiphasic Personality Inventory 2	18+ years	Assess a number of major patterns of personality and emotional disorders
Neo Personality Inventory (NEO PI-R) And Neo Five Factor Inventory (NEO-FFI) Revised	17 years and older	Neo PI-R provides a systematic assessment of five major domains of personality Neo-FFI obtains a brief assessment of personality in both clinical and non clinical setting (shortened version)
Parenting Stress Index Third Edition (PSI)	1 month – 12 years	Quick screen in parents – child relationship
Personality Assessment Inventory (PAI)	18+ years	Assess Adult Psychopathology
Personality Assessment Screener	18+ years	Assess the potential for emotional and behavioural problems of clinical significance and the need for follow up evaluation
Personality Disorder Interview-IV	Adult	A semi-structured interview for the assessment of 10 personality disorders structured for use both by clinicians and researchers
Rorschach Test	5 + years of age	To assess personality
Thematic Apperception Test (TAT)	Child/Adult	Comprehensive study of personality, and interpretation of behaviour disorders